


DG



IEEE Xplore
Full Text

Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

Add a query to the Search Query Display

Combine search queries using AND, OR, or NOT

Delete a search

Run a search

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Fri, 23 Sep 2005, 6:35:59 PM EST

Search Query Display

Run Search

Reset

Recent Search Queries

#1 ((redundancy channel<in>metadata) <and> (multiple channels<in>metadata))<and> (encoding<in>metadata)

Clear Session History

Results

0


Help

Contact Us

Privacy & Security

IEEE.org

© Copyright 2005 IEEE – All Rights Reserved



DG

Google

Web Images Groups News Froogle Local more »

encoding "redundancy channel", "multiple channels" Search

Advanced Search Preferences

Web

Results 1 - 2 of 2 for encoding "redundancy channel", "multiple channels"" . (0.12 seconds)

Tip: Try removing quotes from your search to get more results.

1 Multiple-Channel Multicast Scheduling for Scalable Bulk-data ...

File Format: Adobe PostScript - View as Text

The idea is that the sender uses multiple channels, each addressed as a separate ... 4, after which it joins the redundancy channel until it receives enough ...

www.cc.gatech.edu/fac/Mostafa.Ammar/papers/DAZ99.ps.gz - Similar pages

PDF 6C-3 Multiple-Channel Multicast Scheduling for Scalable Bulk-Data ...

File Format: PDF/Adobe Acrobat - View as HTML

Multiple channels, each addressed as A separate Multicast Group. each receiver

... encoding the entire file for A fixed packet size requires ...

netarchlab.tsinghua.edu.cn/ftp/pub/documents/conference/Infocom1999/DATA/06C_03.PDF - Supplemental Result - Similar pages

Google Desktop Search - 9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

encoding "redundancy channel", "multiple channels" Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Interference Search

DG

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	3	(redundan\$2 adj channel\$1) with (multiple adj channel\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/23 18:30
L20	16	(redundancy with channel\$1 with data) with (multiple adj channel\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/23 18:30
L21	1	(redundancy adj channel\$1) same (multiple adj channel\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/23 18:31
L22	8	(redundancy with channel\$1 with encod\$3) same (multiple adj channel\$1)	US-PGPUB; USPAT	OR	OFF	2005/09/23 18:31
L23	11	(redundancy adj channel\$1) with encod\$3	US-PGPUB; USPAT	OR	OFF	2005/09/23 18:31
L24	1	((redundancy adj channel\$1) with encod\$3) and ((multiple or plural) adj channels)	US-PGPUB; USPAT	OR	OFF	2005/09/23 18:32